

KMH 系列

● 保证 105℃ 2,000 小时。

标准品

纹波
负荷

RoHS指令
适应品

KMH
↑ 105℃化
SME p290







规格表

项目	性能	
工作温度范围	-40~+105℃ (10~100V _{dc})	-25~+105℃ (160~400V _{dc})
额定电压范围	10~400V _{dc}	
静电容量容许差	±20% (M) (20℃、120Hz)	
漏电流	I ≤ 0.02CV 或者 5mA 中任意一个较小值 I: 漏电流 (μA)、C: 静电容量 (μF)、额定电压 (V _{dc}) (20℃、5分值)	
损失角正切值 (tan δ)	≤ 标准品一览表的值 (20℃、120Hz)	
温度特性	静电容量变化率 10~100V _{dc} C(-40℃) / C(+20℃) ≥ 0.6 160~400V _{dc} C(-25℃) / C(+20℃) ≥ 0.7 (120Hz)	
绝缘电阻	全部端子和容器套上的绝缘套且安装的固定带之间用DC500V的绝缘电阻测定仪测出的值 ≥ 100MΩ	
绝缘耐压	全部端子和容器套上的绝缘套且安装的固定带之间施加AC2,000V的电压1分钟未出现异常。	
耐久性	在105℃环境中, 不超过额定电压的范围内叠加额定纹波电流, 连续加载电压2,000小时后, 待温度恢复到20℃进行测量时, 应满足以下要求。	
	静电容量变化率	≤ 初始值的 ±20%
	损失角正切值	≤ 初始规格值的200%
	漏电流	≤ 初始规格值
高温无负荷特性	在105℃环境中, 无负荷放置500小时后待温度恢复到20℃, 进行试验前处理 (JIS C 5101-4 4.1项) 后进行测量时, 应满足以下要求。	
	静电容量变化率	≤ 初始值的 ±20%
	损失角正切值	≤ 初始规格值的200%
	漏电流	≤ 初始规格值

尺寸图 (CE331 形) [mm]

● 端子代码: LG

● 绑带代码: B (Φ35 为标准规格) ● 绑带代码: C (Φ50 以上为标准规格)



公称直径	A	B	W	H	F
35	58.0	44.0	48.0	3.5	12.7
50	78.0	64.0	68.0	4.5	22.4
63.5	90.0	76.0	80.0	4.5	28.0
76.2	104.5	90.0	93.5	4.5	31.5

公称直径	E	K	J	F
50	32.5	37.0	14.0	22.4
63.5	38.1	43.5	14.0	28.0
76.2	44.5	50.0	14.0	31.5
89	50.8	56.5	16.0	31.5


φ 35 ~ φ 63.5 : G=6
φ 76.2、φ 89 : G=5

< 端子螺丝规格 >

十字六角长螺丝 M5×0.8×10
螺丝拧紧最大容许转矩 3.23N·m

(注 1) 端子螺丝及安装绑带分批交货为标准规格。

产品型号体系



产品型号代码的详细介绍请参考「产品型号表示方法(螺丝端子型)」。

◆标准品一览表

WV (Vdc)	Cap (μF)	尺寸 φD×L(mm)	tan δ	额定纹波电流 (Arms/105℃, 120Hz)	产品型号	WV (Vdc)	Cap (μF)	尺寸 φD×L(mm)	tan δ	额定纹波电流 (Arms/105℃, 120Hz)	产品型号	
10	27,000	35×50	0.45	4.90	EKMH100LGB273MA50M	35	56,000	50×100	0.40	11.4	EKMH350LGC563MCA0M	
	33,000	35×50	0.50	5.10	EKMH100LGB333MA50M		68,000	50×120	0.40	13.6	EKMH350LGC683MCC0M	
	39,000	35×60	0.50	5.90	EKMH100LGB393MA60M		82,000	63.5×100	0.45	14.8	EKMH350LGC823MDA0M	
	47,000	35×80	0.50	7.10	EKMH100LGB473MA80M		100,000	63.5×120	0.45	17.6	EKMH350LGC104MDC0M	
	56,000	35×80	0.60	7.10	EKMH100LGB563MA80M		120,000	63.5×120	0.55	17.6	EKMH350LGC124MDC0M	
	68,000	35×100	0.60	8.50	EKMH100LGB683MAA0M		150,000	76.2×120	0.65	19.8	EKMH350LGC154MEC0M	
	82,000	35×100	0.65	8.90	EKMH100LGB823MAA0M		180,000	76.2×120	0.80	19.8	EKMH350LGC184MEC0M	
	100,000	35×120	0.65	10.7	EKMH100LGB104MAC0M		220,000	76.2×140	0.80	23.4	EKMH350LGC224MEE0M	
	120,000	50×80	0.75	11.0	EKMH100LGC124MC80M		270,000	89×140	1.00	25.5	EKMH350LGC274MFE0M	
	150,000	50×100	0.80	13.2	EKMH100LGC154MCA0M		50	3,900	35×50	0.20	2.80	EKMH500LGB392MA50M
	180,000	50×120	0.80	15.7	EKMH100LGC184MCC0M			4,700	35×50	0.20	3.10	EKMH500LGB472MA50M
	220,000	50×120	0.85	16.8	EKMH100LGC224MCC0M			5,600	35×50	0.20	3.30	EKMH500LGB562MA50M
	270,000	63.5×120	1.00	19.6	EKMH100LGC274MDC0M			6,800	35×50	0.25	3.30	EKMH500LGB682MA50M
	330,000	63.5×120	1.20	19.7	EKMH100LGC334MDC0M			8,200	35×60	0.25	3.80	EKMH500LGB822MA60M
	390,000	76.2×120	1.50	21.3	EKMH100LGC394MEC0M			10,000	35×80	0.25	4.60	EKMH500LGB103MA80M
	470,000	76.2×120	1.80	21.4	EKMH100LGC474MEC0M			12,000	35×80	0.25	5.10	EKMH500LGB123MA80M
	560,000	76.2×140	2.00	23.6	EKMH100LGC564MEE0M			15,000	35×80	0.25	5.70	EKMH500LGB153MA80M
	680,000	89×140	2.40	26.0	EKMH100LGC684MFE0M			18,000	35×100	0.25	6.70	EKMH500LGB183MAA0M
16	18,000	35×50	0.40	4.20	EKMH160LGB183MA50M	22,000		35×120	0.25	8.10	EKMH500LGB223MAC0M	
	22,000	35×50	0.40	4.70	EKMH160LGB223MA50M	27,000		50×80	0.25	9.10	EKMH500LGC273MC80M	
	27,000	35×60	0.40	5.50	EKMH160LGB273MA60M	33,000		50×100	0.25	11.1	EKMH500LGC333MCA0M	
	33,000	35×60	0.45	5.70	EKMH160LGB333MA60M	39,000		50×120	0.25	13.1	EKMH500LGC393MCC0M	
	39,000	35×80	0.45	6.80	EKMH160LGB393MA80M	47,000		50×120	0.30	13.9	EKMH500LGC473MCC0M	
	47,000	35×80	0.50	7.10	EKMH160LGB473MA80M	56,000		63.5×100	0.35	13.9	EKMH500LGC563MDA0M	
	56,000	35×100	0.50	8.40	EKMH160LGB563MAA0M	68,000		63.5×120	0.35	16.6	EKMH500LGC683MDC0M	
	68,000	35×100	0.55	8.80	EKMH160LGB683MAA0M	82,000		76.2×120	0.40	18.9	EKMH500LGC823MEC0M	
	82,000	50×80	0.55	10.7	EKMH160LGC823MC80M	100,000		76.2×120	0.45	19.5	EKMH500LGC104MEC0M	
	100,000	50×80	0.65	10.8	EKMH160LGC104MC80M	120,000	76.2×120	0.55	19.5	EKMH500LGC124MEC0M		
	120,000	50×100	0.65	13.1	EKMH160LGC124MCA0M	150,000	89×140	0.60	23.9	EKMH500LGC154MFE0M		
	150,000	50×120	0.70	15.3	EKMH160LGC154MCC0M	180,000	89×140	0.75	23.9	EKMH500LGC184MFE0M		
	180,000	50×120	0.80	15.7	EKMH160LGC184MCC0M	63	2,700	35×50	0.20	2.30	EKMH630LGB272MA50M	
	220,000	63.5×120	0.85	19.2	EKMH160LGC224MDC0M		3,300	35×50	0.20	2.50	EKMH630LGB332MA50M	
	270,000	63.5×120	1.00	19.6	EKMH160LGC274MDC0M		3,900	35×50	0.20	2.80	EKMH630LGB392MA50M	
	330,000	76.2×120	1.30	21.1	EKMH160LGC334MEC0M		4,700	35×50	0.20	3.10	EKMH630LGB472MA50M	
	390,000	76.2×120	1.50	21.3	EKMH160LGC394MEC0M		5,600	35×60	0.20	3.50	EKMH630LGB562MA60M	
	470,000	76.2×140	1.60	24.2	EKMH160LGC474MEE0M		6,800	35×60	0.20	3.90	EKMH630LGB682MA60M	
560,000	89×140	2.00	28.1	EKMH160LGC564MFE0M	8,200		35×80	0.20	4.70	EKMH630LGB822MA80M		
680,000	89×140	2.40	28.5	EKMH160LGC684MFE0M	10,000		35×80	0.25	4.70	EKMH630LGB103MA80M		
25	12,000	35×50	0.35	3.70	EKMH250LGB123MA50M		12,000	35×100	0.25	5.50	EKMH630LGB123MAA0M	
	15,000	35×50	0.35	4.10	EKMH250LGB153MA50M		15,000	35×120	0.25	6.60	EKMH630LGB153MAC0M	
	18,000	35×60	0.35	4.80	EKMH250LGB183MA60M		18,000	50×80	0.25	7.40	EKMH630LGC183MC80M	
	22,000	35×60	0.35	5.30	EKMH250LGB223MA60M		22,000	50×100	0.25	9.00	EKMH630LGC223MCA0M	
	27,000	35×80	0.35	6.40	EKMH250LGB273MA80M		27,000	50×120	0.25	10.9	EKMH630LGC273MCC0M	
	33,000	35×80	0.40	6.70	EKMH250LGB333MA80M		33,000	50×120	0.25	12.0	EKMH630LGC333MCC0M	
	39,000	35×100	0.40	7.80	EKMH250LGB393MAA0M		39,000	63.5×100	0.30	12.5	EKMH630LGC393MDA0M	
	47,000	35×120	0.40	9.30	EKMH250LGB473MAC0M		47,000	63.5×120	0.30	14.9	EKMH630LGC473MDC0M	
	56,000	50×80	0.45	9.70	EKMH250LGC563MC80M		56,000	63.5×120	0.30	16.3	EKMH630LGC563MDC0M	
	68,000	50×100	0.45	11.2	EKMH250LGC683MCA0M		68,000	76.2×120	0.35	18.4	EKMH630LGC683MEC0M	
	82,000	50×100	0.50	11.2	EKMH250LGC823MCA0M	82,000	76.2×140	0.40	20.0	EKMH630LGC823MEE0M		
	100,000	50×120	0.50	14.8	EKMH250LGC104MCC0M	100,000	76.2×140	0.50	20.0	EKMH630LGC104MEE0M		
	120,000	63.5×100	0.65	14.9	EKMH250LGC124MDA0M	120,000	89×140	0.60	21.8	EKMH630LGC124MFE0M		
	150,000	63.5×120	0.65	17.9	EKMH250LGC154MDC0M	80	2,200	35×50	0.15	2.40	EKMH800LGB222MA50M	
	180,000	63.5×120	0.80	17.9	EKMH250LGC184MDC0M		2,700	35×50	0.15	2.70	EKMH800LGB272MA50M	
	220,000	76.2×120	0.85	21.3	EKMH250LGC224MEC0M		3,300	35×50	0.15	3.00	EKMH800LGB332MA50M	
	270,000	76.2×120	1.00	21.7	EKMH250LGC274MEC0M		3,900	35×60	0.15	3.40	EKMH800LGB392MA60M	
	330,000	76.2×140	1.20	23.4	EKMH250LGC334MEE0M		4,700	35×60	0.15	3.70	EKMH800LGB472MA60M	
390,000	89×140	1.50	24.9	EKMH250LGC394MFE0M	5,600		35×80	0.15	4.50	EKMH800LGB562MA80M		
35	8,200	35×50	0.30	3.30	EKMH350LGB822MA50M		6,800	35×80	0.15	4.90	EKMH800LGB682MA80M	
	10,000	35×50	0.30	3.60	EKMH350LGB103MA50M		8,200	35×100	0.20	5.10	EKMH800LGB822MAA0M	
	12,000	35×60	0.30	4.20	EKMH350LGB123MA60M		10,000	35×120	0.20	6.10	EKMH800LGB103MAC0M	
	15,000	35×60	0.30	4.70	EKMH350LGB153MA60M		12,000	50×80	0.20	6.70	EKMH800LGC123MC80M	
	18,000	35×80	0.30	5.70	EKMH350LGB183MA80M		15,000	50×100	0.20	8.30	EKMH800LGC153MCA0M	
	22,000	35×80	0.30	6.30	EKMH350LGB223MA80M		18,000	50×120	0.20	9.90	EKMH800LGC183MCC0M	
	27,000	35×100	0.30	7.50	EKMH350LGB273MAA0M		22,000	50×120	0.20	11.0	EKMH800LGC223MCC0M	
	33,000	35×120	0.30	9.00	EKMH350LGB333MAC0M		27,000	63.5×100	0.25	11.4	EKMH800LGC273MDA0M	
	39,000	50×80	0.35	9.20	EKMH350LGC393MC80M		33,000	76.2×100	0.25	13.9	EKMH800LGC333MEA0M	
	47,000	50×100	0.35	11.2	EKMH350LGC473MCA0M		39,000	76.2×100	0.30	13.9	EKMH800LGC393MEA0M	

◆标准品一览表

WV (V _{dc})	Cap (μF)	尺寸 φD×L(mm)	tan δ	额定纹波电流 (Arms/105℃, 120Hz)	产品型号	WV (V _{dc})	Cap (μF)	尺寸 φD×L(mm)	tan δ	额定纹波电流 (Arms/105℃, 120Hz)	产品型号
80	47,000	76.2×120	0.30	16.5	EKMH800LGC473MEC0M	250	330	35×50	0.15	0.90	EKMH251LGB331MA50M
	56,000	76.2×120	0.30	18.1	EKMH800LGC563MEC0M		390	35×50	0.15	1.00	EKMH251LGB391MA50M
	68,000	76.2×140	0.35	19.7	EKMH800LGC683MEE0M		470	35×50	0.15	1.10	EKMH251LGB471MA50M
	82,000	89×140	0.40	22.1	EKMH800LGC823MFE0M		560	35×50	0.15	1.20	EKMH251LGB561MA50M
100	1,800	35×50	0.10	2.70	EKMH101LGB182MA50M		680	35×60	0.15	1.40	EKMH251LGB681MA60M
	2,200	35×50	0.10	3.00	EKMH101LGB222MA50M		820	35×80	0.15	1.60	EKMH251LGB821MA80M
	2,700	35×60	0.10	3.50	EKMH101LGB272MA60M		1,000	35×80	0.20	1.60	EKMH251LGB102MA80M
	3,300	35×80	0.10	4.20	EKMH101LGB332MA80M		1,200	35×80	0.20	1.80	EKMH251LGB122MA80M
	3,900	35×80	0.12	4.20	EKMH101LGB392MA80M		1,500	35×100	0.20	2.10	EKMH251LGB152MAA0M
	4,700	35×100	0.12	5.00	EKMH101LGB472MAA0M		1,800	35×120	0.20	2.50	EKMH251LGB182MAC0M
	5,600	35×100	0.12	5.40	EKMH101LGB562MAA0M		2,200	50×80	0.20	2.90	EKMH251LGC222MC80M
	6,800	35×120	0.15	5.80	EKMH101LGB682MAC0M		2,700	50×100	0.20	3.50	EKMH251LGC272MCA0M
	8,200	50×80	0.15	6.40	EKMH101LGC822MC80M		3,300	50×100	0.20	4.20	EKMH251LGC332MCC0M
	10,000	50×100	0.15	7.80	EKMH101LGC103MCA0M		3,900	50×120	0.20	4.60	EKMH251LGC392MCC0M
	12,000	50×120	0.15	9.30	EKMH101LGC123MCC0M		4,700	63.5×120	0.20	5.70	EKMH251LGC472MDC0M
	15,000	50×120	0.15	10.4	EKMH101LGC153MCC0M		5,600	63.5×120	0.20	6.30	EKMH251LGC562MDC0M
	18,000	63.5×100	0.20	10.4	EKMH101LGC183MDA0M	6,800	76.2×120	0.20	7.70	EKMH251LGC682MEC0M	
	22,000	63.5×120	0.20	12.5	EKMH101LGC223MDC0M	8,200	76.2×120	0.20	8.40	EKMH251LGC822MEC0M	
	27,000	76.2×120	0.25	13.7	EKMH101LGC273MEC0M	10,000	76.2×140	0.20	10.0	EKMH251LGC103MEE0M	
	33,000	76.2×120	0.25	15.2	EKMH101LGC333MEC0M	12,000	89×140	0.20	11.9	EKMH251LGC123MFE0M	
39,000	76.2×140	0.30	16.1	EKMH101LGC393MEE0M	315	180	35×50	0.10	0.80	EKMH3B1LGB181MA50M	
47,000	89×140	0.30	19.3	EKMH101LGC473MFE0M		220	35×50	0.10	0.90	EKMH3B1LGB221MA50M	
56,000	89×140	0.30	21.1	EKMH101LGC563MFE0M		270	35×50	0.10	1.00	EKMH3B1LGB271MA50M	
160	560	35×50	0.15	1.20		EKMH161LGB561MA50M	330	35×50	0.10	1.10	EKMH3B1LGB331MA50M
	680	35×50	0.15	1.30		EKMH161LGB681MA50M	390	35×50	0.10	1.20	EKMH3B1LGB391MA50M
	820	35×50	0.15	1.40		EKMH161LGB821MA50M	470	35×60	0.10	1.40	EKMH3B1LGB471MA60M
	1,000	35×50	0.15	1.60		EKMH161LGB102MA50M	560	35×60	0.10	1.50	EKMH3B1LGB561MA60M
	1,200	35×60	0.15	1.90		EKMH161LGB122MA60M	680	35×80	0.10	1.70	EKMH3B1LGB681MA80M
	1,500	35×60	0.15	2.10		EKMH161LGB152MA60M	820	35×80	0.15	1.70	EKMH3B1LGB821MA80M
	1,800	35×80	0.15	2.50		EKMH161LGB182MA80M	1,000	35×100	0.15	2.00	EKMH3B1LGB102MAA0M
	2,200	35×80	0.15	2.80		EKMH161LGB222MA80M	1,200	35×120	0.15	2.40	EKMH3B1LGB122MAC0M
	2,700	35×100	0.15	3.30		EKMH161LGB272MAA0M	1,500	50×80	0.15	2.70	EKMH3B1LGC152MC80M
	3,300	35×120	0.15	3.80		EKMH161LGB332MAC0M	1,800	50×100	0.15	3.30	EKMH3B1LGC182MCA0M
	3,900	50×80	0.20	3.80		EKMH161LGC392MC80M	2,200	50×120	0.15	4.00	EKMH3B1LGC222MCC0M
	4,700	50×100	0.20	4.60		EKMH161LGC472MCA0M	2,700	50×120	0.15	4.40	EKMH3B1LGC272MCC0M
	5,600	50×100	0.20	5.10		EKMH161LGC562MCA0M	3,300	63.5×100	0.15	5.10	EKMH3B1LGC332MDA0M
	6,800	50×120	0.20	6.10	EKMH161LGC682MCC0M	3,900	63.5×120	0.15	6.00	EKMH3B1LGC392MDC0M	
	8,200	63.5×100	0.20	7.00	EKMH161LGC822MDA0M	4,700	76.2×100	0.15	6.80	EKMH3B1LGC472MEA0M	
	10,000	63.5×120	0.20	8.40	EKMH161LGC103MDC0M	5,600	76.2×120	0.15	8.00	EKMH3B1LGC562MEC0M	
12,000	76.2×100	0.20	9.40	EKMH161LGC123MEA0M	6,800	76.2×130	0.15	9.20	EKMH3B1LGC682MED0M		
15,000	76.2×120	0.20	11.4	EKMH161LGC153MEC0M	8,200	89×140	0.15	11.4	EKMH3B1LGC822MFE0M		
18,000	76.2×140	0.20	13.4	EKMH161LGC183MEE0M	10,000	89×140	0.15	12.6	EKMH3B1LGC103MFE0M		
22,000	89×140	0.25	14.5	EKMH161LGC223MFE0M	350	180	35×50	0.10	0.80	EKMH351LGB181MA50M	
27,000	89×140	0.25	16.0	EKMH161LGC273MFE0M		220	35×50	0.10	0.90	EKMH351LGB221MA50M	
200	330	35×50	0.15	0.90		EKMH201LGB331MA50M	270	35×50	0.10	1.00	EKMH351LGB271MA50M
	390	35×50	0.15	1.00		EKMH201LGB391MA50M	330	35×50	0.10	1.10	EKMH351LGB331MA50M
	470	35×50	0.15	1.10		EKMH201LGB471MA50M	390	35×60	0.10	1.30	EKMH351LGB391MA60M
	560	35×50	0.15	1.20		EKMH201LGB561MA50M	470	35×60	0.10	1.40	EKMH351LGB471MA60M
	680	35×50	0.15	1.30		EKMH201LGB681MA50M	560	35×80	0.10	1.60	EKMH351LGB561MA80M
	820	35×50	0.15	1.40		EKMH201LGB821MA50M	680	35×80	0.15	1.60	EKMH351LGB681MA80M
	1,000	35×60	0.15	1.70		EKMH201LGB102MA60M	820	35×100	0.15	1.80	EKMH351LGB821MAA0M
	1,200	35×60	0.15	1.90		EKMH201LGB122MA60M	1,000	35×120	0.15	2.20	EKMH351LGB102MAC0M
	1,500	35×80	0.15	2.30		EKMH201LGB152MA80M	1,200	50×80	0.15	2.40	EKMH351LGC122MC80M
	1,800	35×80	0.15	2.50		EKMH201LGB182MA80M	1,500	50×100	0.15	3.00	EKMH351LGC152MCA0M
	2,200	35×100	0.15	3.00		EKMH201LGB222MAA0M	1,800	50×120	0.15	3.60	EKMH351LGC182MCC0M
	2,700	35×120	0.15	3.60		EKMH201LGB272MAC0M	2,200	50×120	0.15	4.00	EKMH351LGC222MCC0M
	3,300	50×80	0.15	4.10		EKMH201LGC332MC80M	2,700	63.5×100	0.15	4.60	EKMH351LGC272MDA0M
	3,900	50×100	0.15	4.90		EKMH201LGC392MCA0M	3,900	76.2×120	0.15	6.70	EKMH351LGC392MEC0M
	4,700	63.5×100	0.20	5.30	EKMH201LGC472MDA0M	5,600	76.2×130	0.15	8.30	EKMH351LGC562MED0M	
	5,600	63.5×100	0.20	5.80	EKMH201LGC562MDA0M	6,800	76.2×140	0.15	9.50	EKMH351LGC682MEE0M	
6,800	63.5×120	0.20	6.90	EKMH201LGC682MDC0M	8,200	89×140	0.15	11.4	EKMH351LGC822MFE0M		
8,200	63.5×120	0.20	7.60	EKMH201LGC822MDC0M	400	180	35×50	0.10	0.80	EKMH401LGB181MA50M	
10,000	76.2×120	0.20	9.30	EKMH201LGC103MEC0M		220	35×50	0.10	0.90	EKMH401LGB221MA50M	
12,000	76.2×120	0.20	10.2	EKMH201LGC123MEC0M		270	35×50	0.10	1.00	EKMH401LGB271MA50M	
15,000	76.2×140	0.20	12.2	EKMH201LGC153MEE0M		330	35×60	0.10	1.20	EKMH401LGB331MA60M	
18,000	89×140	0.25	13.1	EKMH201LGC183MFE0M		390	35×60	0.10	1.30	EKMH401LGB391MA60M	
250	270	35×50	0.15	0.80		EKMH251LGB271MA50M	470	35×80	0.10	1.40	EKMH401LGB471MA80M

KMH系列

◆标准品一览表

WV (Vdc)	Cap (μF)	尺寸 φD×L(mm)	tan δ	额定纹波电流 (Arms/105℃, 120Hz)	产品型号
400	560	35×80	0.15	1.40	EKMH401LGB561MA80M
	680	35×100	0.15	1.70	EKMH401LGB681MAA0M
	820	35×120	0.15	2.00	EKMH401LGB821MAC0M
	1,000	50×80	0.15	2.20	EKMH401LGC102MC80M
	1,200	50×100	0.15	2.70	EKMH401LGC122MCA0M
	1,500	50×120	0.15	3.30	EKMH401LGC152MCC0M

WV (Vdc)	Cap (μF)	尺寸 φD×L(mm)	tan δ	额定纹波电流 (Arms/105℃, 120Hz)	产品型号
400	2,200	63.5×100	0.15	4.20	EKMH401LGC222MDA0M
	3,300	63.5×120	0.15	5.50	EKMH401LGC332MDC0M
	4,700	76.2×130	0.15	7.60	EKMH401LGC472MED0M
	5,600	89×140	0.15	9.40	EKMH401LGC562MFE0M
	6,800	89×140	0.15	10.4	EKMH401LGC682MFE0M

◆额定纹波电流频率修正系数

纹波频率与标准品一览表的规定值相异时，请使用小于乘以下表系数所得之值的值。

额定电压 (Vdc)	φD (mm)	频率 (Hz)					
		50	120	300	1k	10k	50k
10~50	φ35~φ89	0.95	1.00	1.03	1.05	1.09	1.12
63~80	φ50~φ89						
100	φ63.5~φ89						
63~80	φ35	0.90	1.00	1.06	1.10	1.18	1.22
100	φ50						
100	φ35						
160~250	φ76.2、φ89	0.82	1.00	1.12	1.22	1.30	1.33
160~250	φ50、φ63.5						
160~250	φ35						
160~250	φ35	0.80	1.00	1.19	1.34	1.46	1.52
315~400	φ35~φ89						

※ 铝电解电容器由于在纹波电流叠加时自我发热、温度上升而老化，每升温 5℃寿命减少一半。要想保持长寿命请在使用过程中降低纹波电流。